

मोतीलाल नेहरू राष्ट्रीय प्रौद्योगिकी संस्थान इलाहाबाद

प्रयागराज-211004 (भारत)

Motilal Nehru National Institute of Technology Allahabad Prayagraj-211004 [India]

No. 866 /Reg. Off./2022-23

Dated: February 2, 2023

To,

The Under Secretary (NITs)

Technical Section - III (NITs Desk), Department of Higher Education, Ministry of Education, Room No.523, C - Wing, Shastri Bhawan, New Delhi - 110 115

Tel: 011 – 23384897 (O)

Email: nit.edu@nic.in, nits.coordination@gmail.com

Subject:-

Seeking inputs for preparation of reply of LSUSQ No. 482 for 06.02.2023 regarding period (Menstruation) Friendly campuses -reg.

Dear Sir/ Madam.

Please refer to your e-mail dated 01.02.2023 on the above mentioned subject. In this connection, the desired information pertaining to MNNIT Allahabad is as under:

SI. No.	Particular	Reply
а	whether the Government has directed all	The Institute ensures that all toilets are
	higher educational institutions in the country	hygienic and all common rooms are
	to mandatorily ensure period (menstruation)	clean in the campus. Institute is
	friendly campuses by facilitating hygienic	planning to install a sanitary napkin
	toilets, clean common rooms, sanitary napkin	vending machine with affordable costs
	vending machines with affordable costs,	and sanitary napkin disposal system at
	sanitary napkin disposal system and	the appropriate locations in the Institute
	menstrual benefit leave in every semester and	campus.
	if so, the details thereof;	
b	whether the Government has any ongoing	
	agenda and programme to ensure period	9
	friendly campuses in the country and if so,	
	the details thereof; and	
С	whether the Government will bring legislation	N.A.
	to ensure menstruation benefit leave	
	in educational institutions and if so, the	
	details thereof?	

This is for your kind information please.

Thanking you.

Yours truly,

[Ramesh Pandey]

Registrar (Oftg.)

No. 866 /Reg. Off./2022-23

Copy to:1. Director, MNNIT Allahabad for kind information please.

[Ramesh Pandey]

Registrar (Oftg.)